

PINGU configuration and plans




PRECISION ICECUBE NEXT
GENERATION UPGRADE

MANTS 2014


Doug Cowen & Darren Grant
for the IceCube-PINGU collaboration

PINGU configuration



- initial configuration from the LOI studies remain baseline comparison

PINGU configuration



A - 40 strings (~12-30 m spacing); 60 DOMs (5 m spacing)




B - 60 strings (20 m spacing); 60 DOMs (5 m spacing)

C - 40 strings (20 m spacing); 96 DOMs (3 m spacing)

D - 40 strings (30m spacing); 120 DOMs (2.5 m spacing)


- full analysis study completed evaluating the geometry parameters (string spacing, DOM spacing, # DOMs per string) for the resultant NMH sensitivity

PINGU configuration



- small changes from the LOI geometry in the x-y string locations to reduce deployment challenges
- most significant change in the # of modules/string (“Halzen’s Law” - deploy as much photocathode as possible in the fiducial volume); marginal DOMs on a string are inexpensive.
- tentative geometry = 40 strings (~20m ave. distance) with 96 modules/string (@ 3m spacing).

Gen(eration)2



DOM


Gen2-DOM

- DOM baseline design builds from the IceCube DOM. Many of the crucial elements remain unchanged.
- early prototyping of the new main board is underway **(See talk by John Kelly tomorrow's detector session for details)**
- redevelopment of the calibration systems are in early stages **(See talk by Martin Jurkovic tomorrow this afternoon)**
- analysis is reaching full maturity **(See talks Joao Pedro Athayde Marcondes de André, Elisa Resconi, Lukas Schulte)**; anticipate many fruitful discussions this weekend.

Current envisaged PINGU timeline



© [2011] The Pygos Group



Summary and Outlook

- PINGU continues to advance at a rapid pace; done with geometry optimization
- We are continuing to work on responses received from P5; this involves evaluating the remaining important (but time consuming) systematics
- newly incorporated systematics have not significantly diminished the PINGU sensitivity
- We are addressing the remaining questions of detector performance in the calibrations and analysis technique developments
- Our timeline (similar to ORCA/JUNO/RENO50...) remains aggressive but realistic; driven now by funding agency responses